300ah BMS Lithium Battery Lifepo4 260ah Lithium Ion Battery 12v 200ah

Basic Information

• Place of Origin: Guangdong, China

Brand Name: ENIKOL
 Model Number: ESK1226D
 Minimum Order Quantity: 2 sets

• Price: \$626.00/sets 2-40 sets

Packaging Details: Colorful box

Supply Ability: 1000 Set/Sets per Month



Product Specification

Weight: 36.7kgThe Charging Ratio: 99%The Discharge Rate: 98%

Storage Type: Standard Storage

Anode Material: LFP

• Application: Toys, Power Tools, Home Appliances,

Consumer Electronics, BOATS, Golf Carts, SUBMARINES, Electric Bicycles/Scooters, Electric Vehicles, Electric Wheelchairs, Electric Power Systems, Solar Energy Storage Systems, Uninterruptible Power

Supplies, Electric For

• Rated Capacity: 260AH (3328WH)

Rated Voltage: 12.8VDisplay: LCD

Cycle Life: ≥ 6000 TimesWarranty: 3 Years, 3 Years



More Images









Product Description


Energy Storage Power 300ah Lithium Battery Lifepo4 Bms 260ah Lithium Ion Battery 12v 200ah Price

They can be stored for long periods without requiring periodic charging, thanks to their low self-discharge rate. 24V lithium batteries are resistant to vibration and shock, making them suitable for use in rugged environments. They offer a wide range of available capacities, allowing users to select the appropriate battery size for their particular application.

Specification

<u> </u>	
item	value
Place of Origin	China
	Guangdong
Brand Name	ENIKOL
Model Number	ESK-D
Battery Type	Lithium Ion, LiFePO4, Other
Rated Capacity	260AH (3328WH)
Rated Voltage	12.8V
Display	LCD
Cycle life	≥ 6000 times
Warranty	3 years
Design Life	20 years
Charging temperature	0 to +55
Operating temperature	-20 to +65
Shell Material	Black painted steel(optional)
Other fuctions	Support series connection, bluetooth and battery heating (optional)

Product Description





All round protection

6 kinds of safety electricity protection



Over temperature



Overvoltage



Overcharge



Low voltage alarm



Overdischarge



Short Circuit





LIFEPO4 APPLICATIONS





Avg



Wheelchairs



Golf carts



Scissor Lift

RENEWABLE ENERGY STORAGE SYSTEMS



Solar Panel Systems



Wind Power Systwms

LOCOMOTION & POWER FOR TRAVEL



RV




Yacht



PHEV

Built-in intelligent BMS system optimize the performance



Product Parameters



OEM and ODM services

Item	Specification					
Model	ESK-1213D	ESK1226D	ESK2413D	ESK2420D	ESK4820D	
Rated capacity	130Ah(1664WH)	260AH(3328WH)	130Ah(3328WH)	200AH(5120WH)	200AH(10240WH	
Rated Voltage	12.8V		25.6V		51.2V	
Charging limit voltage	14.6V		29.2V		58.4V	
Max charging current	50A-120A					
Max continuous discharging current	100A-200A					
Weight(KG)	19	36.5		40	82	
Display	LCD display					
Dimension (L* W * H) mm	330*200*220	380*200*310		530*320*210	530*400*320	
Design life	20 years					
Cycle life	≥6000 times					
Other functions	Support serial connection, Bluetooth and battery heating functions (optional					
Shell material	Black painted steel (optional)					
Charging temperature:	0 to + 55 ° C					
Operating temperature:	-20 to + 65° C					
Certificate	CE FCC UKCA UN38.3 MSDS					
Protection functions:	overcharge protection, over discharge protection, over-current protection, short circuit protection, over temperature protection and low voltage alarm.					

Customize the voltage, capacity and appearance according to your requirements, and also can use your authorized brand and trademark

Product Photograph









Complete Product Certification









Certificate Number : 1902/00/04/31(6) Report No. : 1902/00/04/315-1E/R Regulation Date : Sep. 30, 2022





The contract of the contract of the contract found of the contract of the

Streamen WAAN Teeting Statemangs Co. LAG.

but 100 Marting St. Johnson Stateman From Interest Control Stateman Stateman Stateman Control

but 100 Marting St. Johnson Stateman From Interest Control Stateman Stateman Control

but 100 Marting St. Johnson Stateman Control

but 100 Marting St. Johnson Stateman Control

but 100 Marting Stateman Contr

Product Model (E) ESKARDOCHE ESKA

Trade Mark NuR.
Related Designe 2014/50/50
Related Standards EN ICC 61000-6-32021
EN ICC 61000-6-12019

Certificies Number + HK2000054314E Report No. + HK2000064314-15th Regionation Date - Sep. 30, 2022





Sherather HUAK Sealing Sealineight Co. Unit. one 1-07- Anning Sealineight Co. Unit. one 1-07- Anning Sealineight Complete Sealines Sealineight Co. Unit. One of the Co. Unit. One

Our Cooperation Partner

































ENIKOL Damien New Energy Technology (Shenzhen) Co., Ltd.

86 17727596282

andy@enikolnewenergy.com



enikolnewenergy.com

Guangming District, Shenzhen, Guangdong Province, China